Journal of Molecular Structure, 269 (1992) 381
Elsevier Science Publishers B.V., Amsterdam

AUTHOR INDEX

Akin, A.C., 109
Alonso, J.L., 97
Ando, I., 183
Arias, M.S., 123
Ashrafullina, L.Kh., 1

Barnes, A.J., 23
Barreto, W.J., 75
Bellanato, J., 123
Bhat, S.N., 23
Blanco, S., 97
Bonnet, J.-P., 355
Booij, A.S., 39
Bulgarevich, S.B., 207
Burgos, C., 123
Byszewski, P., 175

Calle, P., 163
Choi, C.H., 309

Domenicano, A., 367
Durig, J.R., 257, 285
de Oliveira, L.F.C., 85

Enjalbert, R., 355

Failla, S., 207
Finocchiaro, P., 207

Gálvez, E., 123
Galy, J., 355
García de la Vega, J.M., 163
Gard, G.L., 197
Gluziński, P., 141
Grochowski, E., 141
Groenen, L.C., 49

Hargittai, I., 367
Harmon, K.M., 109

Ilczyszyn, M.M., 23
Ivanov, P.M., 223
Ivanova, M.I., 223
Ivanova, N.A., 207
Izquierdo, M.L., 123

Kang, Y.K., 231
Kanters, J.A., 49
Katcyuba, S.A., 1
Katrusiak, A., 329
Keefer, P.K., 109
Kempf, I., 65
Kempiński, W., 175
Kikuchi, M., 183
Kim, K., 309
Kim, S.C., 231
Kim, Y.J., 231
Konings, R.J.M., 39
Krajewski, J.W., 141
Krzyminiewski, R., 155
Kurosu, H., 183

Labarre, J.-F., 355
Little, T.S., 257, 285
López, J.C., 97

Martín, J., 163
Martinez-Ripoll, M., 123
Matesanz, E., 123
Monakhova, N.A., 1
Monti, P., 243
Movshovich, D.Ya., 207

Oberhammer, H., 197

Pawlicka, M., 155
Pietrzak, J., 155
Portalone, G., 367
Pupek, K., 141

Ramondo, F., 367
Ratajczak, H.R., 23
Reinhoudt, D.N., 49
Ribeiro, M.C.C., 75

Santos, P.S., 75, 85
Scheidecker, S., 355
Schouten, A., 49
Schultz, G., 367
Semenzin, D., 355
Seppelt, K., 197
Shagidullin, R.R., 1
Sieiro, C., 163
Simoni, R., 243
Snider, B.L., 109
Sournies, F., 355
Stankowski, J., 175
Steinwender, E., 49

Tang, Q., 257
Trybuła, Z., 175

Van der Maas, J.H., 49
Villamañan, R.M., 97

Wang, A., 285
Weiss, I., 197
Winter, R., 197

Żuk, T., 175
Zundel, G., 65

Journal of Molecular Structure, 269 (1992) 383–385
Elsevier Science Publishers B.V., Amsterdam

SUBJECT INDEX

Acetyl-L-phenylalanine *p*-acetyl anilide,
Stereochemical applications of potential energy calculations. Part VIII. MM2 conformational analysis of acetyl-L-phenylalanine *p*-acetyl anilide, 223
Acetylcholine,
Conformation and hydration of acetylcholine, 231
Alkali metal,
EPR and microwave absorption of alkali metal-doped fullerene superconductors, 175
Allosteric effector,
The allosteric effector molecule 2,3-bisphosphoglycerate as a function of protonation in aqueous solutions — an FT-IR study, 65
Amine oxide solvents,
Hydrogen bonding. Part 45. Thermodynamic and IR study of the hydrates of *N*-methylmorpholine and quinuclidine oxide. Effect of hydrate stoichiometry on strength of H–O–H···O–N hydrogen bonds; implications for the dissolution of cellulose in amine oxide solvents, 109
Ammonium hydrogen glutarate,
Polarized infrared spectra of ammonium hydrogen glutarate single crystal, 23

2,3-Bisphosphoglycerate,
The allosteric effector molecule 2,3-bisphosphoglycerate as a function of protonation in aqueous solutions — an FT-IR study, 65
Bis(pentafluorosulfur)methane,
The molecular structure of bis(pentafluorosulfur)methane $(SF_5)_2CH_2$ and perfluorovinylsulfur pentafluoride $SF_5CF{=}CF_2$, 197
3-Bromopropene,
Low frequency vibrational spectra, barrier to internal rotation, and RHF/STO-3G* ab initio calculations of 3-bromopropene, 257

Cation–semidione interaction,
Electron spin resonance and ab initio studies on the cation–semidione interaction, 163
Cellulose,
Hydrogen bonding. Part 45. Thermodynamic and IR study of the hydrates of *N*-methylmorpholine and quinuclidine oxide. Effect of hydrate stoichiometry on strength of H–O–H···O–N hydrogen bonds; implications for the dissolution of cellulose in amine oxide solvents, 109
1,3-Cyclohexanedione,
Stereochemistry and transformation of –OH···O= hydrogen bonds. Part I. Polymorphism and phase transition of 1,3-cyclohexanedione crystals, 329
Cyclophosphazenic SPIRO (3O2O3)*,
Crystal and molecular structure of the tetramorpholino derivative of the cyclophosphazenic SPIRO (3O2O3)* species, a radiopaques precursor, 355
Cyclopropylcarbonyl chloride,
Conformational stability, barrier to internal rotation, structural parameters, ab initio calculations, and vibrational assignment of cyclopropylcarbonyl chloride, 285

Dialkylphosphites,
Vibrational spectra, conformations and force constants of dialkylphosphites $(RO)_2P(O)H$, 1
Diarylsulphides,
Conformational investigation of diarylsulphides by Kerr effect and dipole moment methods, 207
27,28-Diethoxy-*p-tert*-butyl-calix[4]arenes,
Spectroscopic and crystallographic

study of 27,28-diethoxy-*p*-*tert*-butylcalix[4]arenes, 49
Dipole moment,
Conformational investigation of diarylsulphides by Kerr effect and dipole moment methods, 207

Fluorosilanes,
Dipole moment derivatives in fluorosilanes, 309
Free radicals,
EPR and electron nuclear double beam resonance of free radicals formed in γ-irradiated single crystals of sulphamethoxazole, 155
Fullerene,
EPR and microwave absorption of alkali metal-doped fullerene superconductors, 175

Gaseous iodides,
Infrared spectra of the gaseous iodides of chromium, iron and nickel, 39

N′-*p*-Halobenzoyl derivatives,
Structural and conformational study of some *N*′-*p*-halobenzoyl derivatives of the 3β-amino-3α-methoxycarbonyl (or cyano)-*N*8-substituted nortropanes, 123
Hydrogen bonding,
Hydrogen bonding. Part 45. Thermodynamic and IR study of the hydrates of *N*-methylmorpholine and quinuclidine oxide. Effect of hydrate stoichiometry on strength of H–O–H···O–N hydrogen bonds; implications for the dissolution of cellulose in amine oxide solvents, 109

Isomeric spiro-β-lactams,
Structural investigation on isomeric spiro-β-lactams: NMR and X-ray study, 141

Kerr effect,
Conformational investigation of diarylsulphides by Kerr effect and dipole moment methods, 207

Metal dithiolenes,
The nature of the electronic transitions in some metal dithiolenes as revealed by resonance Raman spectroscopy and transform methods, 75
N-Methylmorpholine oxide,
Hydrogen bonding. Part 45. Thermodynamic and IR study of the hydrates of *N*-methylmorpholine and quinuclidine oxide. Effect of hydrate stoichiometry on strength of H–O–H···O–N hydrogen bonds; implications for the dissolution of cellulose in amine oxide solvents, 109
MM2,
Stereochemical applications of potential energy calculations. Part VIII. MM2 conformational analysis of acetyl-L-phenylalanine *p*-acetyl anilide, 223

2-Nitrofuran,
Conformation and internal rotation in 2-nitrofuran and 2-nitrothiophene by microwave spectroscopy, 97
2-Nitrothiophene,
Conformation and internal rotation in 2-nitrofuran and 2-nitrothiophene by microwave spectroscopy, 97
Nortropanes,
Structural and conformational study of some *N*′-*p*-halobenzoyl derivatives of the 3β-amino-3α-methoxycarbonyl (or cyano)-*N*8-substituted nortropanes, 123

Perfluorovinylsulfur pentafluoride,
The molecular structure of bis(pentafluorosulfur)methane $(SF_5)_2CH_2$ and perfluorovinylsulfur pentafluoride $SF_5CF{=}CF_2$, 197
Phase transition,
Stereochemistry and transformation of –OH···O= hydrogen bonds. Part I. Polymorphism and phase transition of 1,3-cyclohexanedione crystals, 329
Polymorphism,
Stereochemistry and transformation of –OH···O= hydrogen bonds. Part I.

Polymorphism and phase transition of 1,3-cyclohexanedione crystals, 329
Polypyrrole,
Structural characterization of polypyrrole in the solid state by high resolution ^{15}N NMR spectroscopy combined with quantum chemistry, 183

Quinuclidine oxide,
Hydrogen bonding. Part 45. Thermodynamic and IR study of the hydrates of *N*-methylmorpholine and quinuclidine oxide. Effect of hydrate stoichiometry on strength of H–O–H···O–N hydrogen bonds; implications for the dissolution of cellulose in amine oxide solvents, 109

Radiopaques precursor,
Crystal and molecular structure of the tetramorpholino derivative of the cyclophosphazenic SPIRO (3O2O3)* species, a radiopaques precursor, 355
RHF/STO-3G*,
Low frequency vibrational spectra, barrier to internal rotation, and RHF/STO-3G* ab initio calculations of 3-bromopropene, 257

Soft contact lenses,
The role of water in the molecular structure and properties of soft contact lenses and surface interactions, 243
Solid state,
Structural characterization of polypyrrole in the solid state by high resolution ^{15}N NMR spectroscopy combined with quantum chemistry, 183
Squarate ion,
The interaction of the squarate ion with trivalent transition metal ions as revealed by resonance Raman spectroscopy, 85
Sulphamethoxazole,
EPR and electron nuclear double beam resonance of free radicals formed in γ-irradiated single crystals of sulphamethoxazole, 155
Superconductors,
EPR and microwave absorption of alkali metal-doped fullerene superconductors, 175
Surface interactions,
The role of water in the molecular structure and properties of soft contact lenses and surface interactions, 243

Tetramorpholino derivative,
Crystal and molecular structure of the tetramorpholino derivative of the cyclophosphazenic SPIRO (3O2O3)* species, a radiopaques precursor, 355
1,3,5-Trifluorobenzene,
Molecular structure of 1,3,5-trifluorobenzene: comparison of the results of two electron diffraction studies, 367
Transform method,
The nature of the electronic transitions in some metal dithiolenes as revealed by resonance Raman spectroscopy and transform methods, 75
Trivalent transition metal ion,
The interaction of the squarate ion with trivalent transition metal ions as revealed by resonance Raman spectroscopy, 85